

BACKGROUND

The City of Ocala is soliciting quotes from experienced vendors to supply and provide a 6 x 10 Aluminum Frame Cable Splice Trailer for the operational duties of the Ocala Fiber Network department as described per the scope of work.

MINIMUM SPECIFICATIONS (or equivalent)**Chassis**

- Full Perimeter Aluminum Frame
- Torsion Axles
- Breakaway Battery Kit
- Spare Tire on Steel Wheel w/Exterior Mount
- 2 5/16" Ball Coupler
- 5000 lbs. Manual Jack
- 16" O/C Wall Studs minimum
- All Tube/Beam Aluminum Construction
- Electric Brakes - All Axles
- ST205/75R15 Tires w/Steel Wheels
- 7-Way Trailer Plug
- Safety Chains & Hooks
- 24" O/C Floor Crossmembers minimum
- 16" O/C Roof Studs minimum

Interior

- White Vinyl Walls & Ceiling
- Subfloor Vapor Barrier
- Black or Gray Coin Flooring
- Curb-Side Laminate Cabinets
- (2) Cable Clamps
- 13,500 BTU Roof Mount Air Conditioner
- 12V Power Roof Vent
- (5) Surface Mount LED Ceiling Light3
- (4) 120V Interior Outlets (15 Amp)
- First Aid Kit
- 1A-10BC Fire Extinguisher
- Insulated Walls & Ceiling
- 3/4" Subfloor
- Road-Side Laminate Cabinets
- (2) Cable Access Doors
- (1) Tinted Windows
- 4,000 minimum BTU Electric Wall Heater
- Carbon Monoxide Detector - Hardwired
- 12V AM/FM Bluetooth Stereo w/2 Interior Speakers
- (1) Dual 12V USB Outlet
- Eye Wash Station

Exterior

- White FRP Sidewalls
- Extruded Aluminum Front Vertical Corners
- LED Clearance Lights
- 24" ATP Front Stoneguard
- Rear Step Bumper
- Exterior 120V GFI Protected Outlet (15 Amp)
- Roof Mounted LED Strobe Light
- One Piece Aluminum Roof
- Arched Trussed Walk-on Roof System
- LED Slimline Taillights
- (1) 24" (minimum) Entrance Door w/ Window
- Front & Rear Stabilizer Jacks
- Lighted Directional Arrow Board
- (2) Surface Mount LED Flood Lights

Electrical

- 4.0KW minimum Onan Commercial Gas Generator
- 15 Gallon minimum Fuel Tank w/ Gauge
- Generator Cover w/ Locking Access Panel - ATP
- 30 Amp Load Center
- 12V Marine Grade Battery
- 25' Motor base Shore Cord
- Remote Gen Start w/Hour Meter
- Automatic Transfer Switch
- 60 Amp Converter/Charger
- 12V Battery Cut-Off Switch

Bidders must upload specification documents in the "SPECIFICATIONS REQUIREMENT" section of this listing.

INSURANCE REQUIREMENTS

1. **Commercial General Liability:** with limits of \$1,000,000 per occurrence/\$2,000,000 aggregate.
2. **Commercial Automotive Liability:** a combined limit of not less than \$1,000,000.

LEAD TIME

1. The maximum acceptable lead time on equipment is six (6) weeks. Bidders with lead time greater than 6 weeks may be rejected.

DELIVERY

1. Equipment will be delivered or shipped to Fleet Management, 1805 NE 30th Ave. Bldg. 200, Ocala, FL 34470.
2. Scheduling of all deliveries shall be coordinated with the City Project Manager.

WARRANTY

1. Vendor will provide a 10-year material and labor warranty from the date of completion, against operational failure caused by defective material or workmanship which occurs during normal use.
2. All manufacturer warranty documentation and owner/operator manuals must be provided before the final payment request.

INVOICING

1. All original invoices will be sent to: John King, Project Manager, Fleet Management Department, 1805 NE 30th Avenue, Building 200, Ocala, FL 34470, email: JKing@ocalafl.org.

PRICING AND AWARD

1. Bids will be received on a lump sum basis. Lump sum amount must include all direct and indirect costs to provide the trailer.
2. Award will be made to the lowest bidder meeting all requirements outlined herein.