



SIDE ELEVATION

SCALE: 1/4" = 1'-0" (PRINTED @ 24X36)
SCALE: NTS (PRINTED @ 24X36)



FRONT ELEVATION

SCALE: 1/4" = 1'-0" (PRINTED @ 24X36)
SCALE: NTS (PRINTED @ 24X36)



SIDE ELEVATION

SCALE: 1/4" = 1'-0" (PRINTED @ 24X36)
SCALE: NTS (PRINTED @ 24X36)



REAR ELEVATION

SCALE: 1/4" = 1'-0" (PRINTED @ 24X36)
SCALE: NTS (PRINTED @ 24X36)

COPYRIGHTED 2024
ALL RIGHTS RESERVED HEREIN
FOR THE PROJECT AND
THIS PLAN SET ONLY
REVISIONS



Digitally signed by Joseph A. Rispoli
DN: c=US, o=RISPOLI AND ASSOCIATES ARCHITECTURE, dnQualifier=A01410C60000185089C918800087331, email=Joseph A Rispoli
Date: 2025.04.09 07:55:59 -0400
DIGITAL SIGNATURE
JOSEPH A. RISPOLI, AIA
ARCHITECT, FL LIC# 951-AK55435

RISPOLI & ASSOCIATES
ARCHITECTURE, INC.
114 SOUTH MAGNOLIA AVENUE, OCALA, FLORIDA 34471
(352) 820-0909 WWW.RISPOLIARCHITECT.COM
JOE@RISPOLIARCHITECT.COM

A NEW RESIDENCE FOR:
CITY OF OCALA - CHEATARA TAYLOR
725 SOUTHWEST 3RD STREET
OCALA, FLORIDA 34471-1559

DRAWN RAA	PROJECT NO. 2435
CHECKED RAA	DATE 04.07.25

A301
SHEET NO.

CONSTRUCTION DOCUMENTS

ATTIC & ROOF VENTILATION CALCULATION (RIDGE VENTS):

REQUIRED
 $132.35 \text{ SQ FT ATTIC AREA} \times 1.00 = 132.35 \text{ SQ FT NFA VENTILATION}$
 $132.35 \text{ SQ FT NFA VENTILATION} \times 1.00 = 132.35 \text{ SQ FT NFA VENTILATION}$
 $132.35 \text{ SQ FT NFA VENTILATION} \div 2 = 66.18 \text{ SQ FT INTAKE (SUFFITS OR EAVES)} \times 2.00 = 132.35 \text{ SQ FT EXHAUST (RIDGE)}$


PROVIDED
 INTAKE:
 $132.35 \text{ SQ IN SOFFITS} \div 132.35 \text{ SQ IN NFA PER LIN. FT.} = 1.00 \text{ MINIMUM LIN. FT. REQUIRED}$
 EXHAUST:
 $132.35 \text{ SQ IN RIDGE} \div 16.9 \text{ SQ IN PER LIN. FT.} = 7.83 \text{ MINIMUM LIN. FT. REQUIRED}$
 AT LEAST 16.9 SQ IN PER LIN. FT. SOFFITS PROVIDED
 AT LEAST 7.83 LINEAR FEET RIDGE VENTS REQUIRED
 AT LEAST 16.9 LINEAR FEET RIDGE VENTS PROVIDED

*EXCEPTION: THE MINIMUM NET FREE VENTILATION AREA SHALL BE 1.00 OF THE VENTED SPACE PROVIDED THAT NOT LESS THAN 8 IN. PLACEMENT AND NOT MORE THAN 30 IN. PLACEMENT UP THE REQUIRED VENTILATION AREA IS PROVIDED BY VENTILATORS LOCATED IN THE UPPER PORTION OF THE ATTIC OR RAFTER SPACE. UPPER VENTILATORS SHALL BE LOCATED NOT MORE THAN 3 FT. (914 MM) BELOW THE RIDGE OR HIGHEST POINT OF THE SPACE. MEASURED VERTICALLY, THE BALANCE OF THE REQUIRED VENTILATION PROVIDED SHALL BE LOCATED IN THE BOTTOM ONE THIRD OF THE ATTIC SPACE, WHERE THE LOCATION OF WALL OR ROOF FRAMING MEMBERS CONFLICTS WITH THE INSTALLATION OF UPPER VENTILATORS. INSTALLATION MORE THAN 3 FEET (914 MM) BELOW THE RIDGE OR HIGHEST POINT OF THE SPACE SHALL BE PERMITTED. (R.S. 610.21)


*MIN. NEW FULLY VENTED ALUMINUM SOFFIT PANEL BY EMCO BUILDING PRODUCTS OR APPROVED EQUAL.

*1" SINGLE LOWER RIDGE VENT BY GAF (CURRA)

(1.00 + 1.00) = 2.00 FT. OF VENTILATION FOR EVERY 132.35 SQ. FT. OF ATTIC FLOOR SPACE
 (1.00 + 1.00) = 2.00 FT. OF VENTILATION FOR EVERY 200.00 SQ. FT. OF ATTIC FLOOR SPACE



ROOF PLAN
 SCALE: 3/8" = 1'-0" (PRINTED @ 24X36)
 SCALE: NTS = (PRINTED @ 11X17)



NAILING SCHEDULE				LEGEND	
MARK	NAIL SIZE & TYPE	SPACING	MARK		
1	8" DIPPED GALVANIZED NAIL SHANK NAILS	4" O.C.	1	NAILING ZONE 1	
2	8" DIPPED GALVANIZED NAIL SHANK NAILS	4" O.C.	2	NAILING ZONE 2	
3	8" DIPPED GALVANIZED NAIL SHANK NAILS	4" O.C.	3	NAILING ZONE 3	

HIP ROOF NAILING SCHEDULE


TRUSS NOTES

- TRUSS MANUFACTURER'S SHOWN SURVEY SHALL BE ADAPTED TO CONSTRUCTION & DIMENSIONS TO ARCHITECT'S INTENTION & ALL DIMENSIONS SHALL BE VERIFIED.
- TRUSS MANUFACTURER'S SHOWN SURVEY SHALL BE ADAPTED TO CONSTRUCTION & DIMENSIONS TO ARCHITECT'S INTENTION & ALL DIMENSIONS SHALL BE VERIFIED.
- ALL TRUSS MANUFACTURER'S SHOWN SURVEY SHALL BE ADAPTED TO CONSTRUCTION & DIMENSIONS TO ARCHITECT'S INTENTION & ALL DIMENSIONS SHALL BE VERIFIED.
- CONSTRUCTION SHALL COORDINATE WITH TRUSS MANUFACTURER'S AND ARCHITECT'S INTENTION & ALL DIMENSIONS SHALL BE VERIFIED.
- TRUSS MANUFACTURER'S SHOWN SURVEY SHALL BE ADAPTED TO CONSTRUCTION & DIMENSIONS TO ARCHITECT'S INTENTION & ALL DIMENSIONS SHALL BE VERIFIED.

ROOF TRUSS LOADING

TC LL	=	40.0	PSF
TC DL	=	10.0	PSF
TC PL	=	0.0	PSF
EL LL	=	0.0	PSF (W/OUT TRUSS LOADING)
TOT LD	=	50.0	PSF
DLA FAC	=	1.25	

- ARCHITECT'S TRUSS MANUFACTURER'S SHOWN SURVEY SHALL BE ADAPTED TO CONSTRUCTION & DIMENSIONS TO ARCHITECT'S INTENTION & ALL DIMENSIONS SHALL BE VERIFIED.
- CONSTRUCTION SHALL COORDINATE WITH TRUSS MANUFACTURER'S AND ARCHITECT'S INTENTION & ALL DIMENSIONS SHALL BE VERIFIED.
- TRUSS MANUFACTURER'S SHOWN SURVEY SHALL BE ADAPTED TO CONSTRUCTION & DIMENSIONS TO ARCHITECT'S INTENTION & ALL DIMENSIONS SHALL BE VERIFIED.



VALLEY FLASHING DETAIL
 SCALE: 3/8" = 1'-0" (PRINTED @ 24X36)
 SCALE: NTS = (PRINTED @ 11X17)

STATE OF FLORIDA
JOSEPH A. RISPOLI
REGISTERED ARCHITECT
 Digitally signed by Joseph A. Rispoli
 DN: c=US, o=RISPOLI AND ASSOCIATES ARCHITECTURE, Inc, ou=Qualifiers: A01410C00000, email=Joseph A Rispoli, Date: 2025.04.09 12:03:54 04:00
 DIGITAL SIGNATURE
 JOSEPH A. RISPOLI, AIA
 ARCHITECT, FL LICENSE: AR95439

RISPOLI & ASSOCIATES
ARCHITECTURE, INC.
 114 SOUTH MAGNOLIA AVENUE, OCALA, FLORIDA 34471
 (352) 620-0909 WWW.RISPOLIARCHITECT.COM
 JOE@RISPOLIARCHITECT.COM

A NEW RESIDENCE FOR:
CITY OF OCALA - CHEATARA TAYLOR
 725 SOUTHWEST 3RD STREET
 OCALA, FLORIDA 34471-1559

DRAWN RAA	PROJECT NO 2435
CHECKED RAA	DATE 04.07.25

A401
 SHEET NO.

CONSTRUCTION DOCUMENTS

