

**CONSTRUCTION SERVICES AGREEMENT FOR OCALA SKATE PARK RESTROOMS**

THIS CONSTRUCTION SERVICES AGREEMENT FOR OCALA SKATE PARK RESTROOMS ("Agreement") is entered into by and between the **CITY OF OCALA**, a Florida municipal corporation ("City"), and **BLACKWATER CONSTRUCTION SERVICES, LLC**, a for profit corporation duly organized and authorized to do business in the State of Florida (EIN: 82-2712584) ("Contractor").

**RECITALS:**

**WHEREAS**, on July 29, 2021, City issued an Invitation to Bid ("ITB") for the construction of a two-unit restroom building with storage, vending machine space, and art element at Ocala Skate Park, ITB No.: CIP/210613 (the "Solicitation"); and

**WHEREAS**, three (3) firms responded to the Solicitation and, after consideration of price and other evaluation factors set forth in the Solicitation, the bid submitted by Blackwater Construction Services, LLC was found to be the lowest; and

**WHEREAS**, Blackwater Construction Services, LLC was chosen as the intended awardee to provide construction services for the construction of a two-unit restroom building with storage, vending machine space, and art element at Ocala Skate Park (the "Project"); and

**WHEREAS**, Contractor certifies that Contractor and its subcontractors are qualified and possess the required licensure and skill to perform the work required for the Project; and

**NOW THEREFORE**, in consideration of the foregoing recitals, the following mutual covenants and conditions, and other good and valuable consideration, City and Contractor agree as follows:

**TERMS OF AGREEMENT:**

1. **RECITALS.** City and Contractor hereby represent, warrant, and agree that the Recitals set forth above are true and correct and are incorporated herein by reference.
2. **CONTRACT DOCUMENTS.** The Contract Documents which comprise the entire understanding between City and Contractor shall only include: (a) this Agreement; (b) those documents listed in this section as Exhibits to this Agreement; (c) the City's Solicitation for the Project and the bid submitted by Contractor in response to same (the "Solicitation Documents"); and (d) those documents identified in the Project Specifications section of this Agreement, if any. Each of these documents are incorporated herein by reference for all purposes.

If there is a conflict between the terms of this Agreement and the Contract Documents, then the terms of this Agreement shall control, amend, and supersede any conflicting terms contained in the remaining Contract Documents.

A. **Exhibits to Agreement:** The Exhibits to this Agreement are as follows:

Exhibit A: Scope of Work (A-1 through A-8)

Exhibit B: Plan Set for Ocala Skate Park Restroom dated 06/30/2021 is available for inspection and copying at: 1805 NE 30<sup>th</sup> Avenue, Bldg. 700, Ocala, Florida 34470

Exhibit C: Geotechnical Report (C-1 through C-14)

Exhibit D: Project Sign (D-1 through D-2)

If there is a conflict between the individual Exhibits regarding the scope of work to be performed, then any identified inconsistency shall be resolved by giving precedence in the following order: (1) Exhibit A, then (2) Exhibit B, then (3) Exhibit C, then (4) Exhibit D.

B. **Project Specifications:** This project will require the Contractor to have the following specifications and documents, which are incorporated by reference:

**City of Ocala "Standard Specifications for Construction of Streets, Stormwater, Traffic, Water, and Sewer Infrastructure"** available at:

<https://bidocala.com/wp-content/uploads/City-of-Ocala-Standard-Specifications-for-Construction-5.21.21.pdf>

3. **SCOPE OF SERVICES.** Contractor shall provide all materials, labor, supervision, tools, accessories, equipment, permits, fees, testing, inspections, certifications, and all other things necessary for Contractor to perform its obligations under this Agreement as set forth in the attached **Exhibit A - Scope of Work** and the Solicitation Documents. The Scope of Work under this Agreement may only be adjusted by written amendment executed by both parties. A permit allowance has been established for this Project in the amount of **ONE THOUSAND, FOUR HUNDRED AND NO/100 DOLLARS (\$1,400)**.

4. **COMPENSATION.** City shall pay Contractor a lump sum amount of **ONE HUNDRED TWENTY-SIX THOUSAND, EIGHT HUNDRED SEVENTY-NINE AND NO/100 DOLLARS (\$126,879)** (the "Contract Sum") as full and complete compensation for the timely and satisfactory completion of the work in compliance with the Contract Documents. The pricing under this Agreement may only be adjusted by written amendment executed by both parties.

A. **Monthly Progress Payments:** The compensation amount under this section shall be paid by City, monthly, based upon a percentage of completion of the work as invoiced by Contractor and approved by City. The compensation sought under this Agreement is

subject to the express terms of this Agreement and any applicable federal and/or state laws.

- B. **Project Schedule and Progress Reports.** A progress report and updated project schedule must be submitted with each monthly pay request indicating the percent of services completed to date. This report will serve as support for payment to Contractor and the basis for payment in the event project is suspended or abandoned.
- C. **Invoice Submission.** All invoices submitted by Contractor shall include the City Contract Number, an assigned Invoice Number, and an Invoice Date. Contractor shall be provided with a cover sheet for invoicing. This cover sheet must be filled out correctly and submitted with each invoice. Contractor shall submit the original invoice through the responsible City Project Manager at: **City of Ocala Engineering Department, Capital Improvement Projects Division**, Attn: **Brian Hutchinson 1805 NE 30<sup>th</sup> Avenue, Bldg. 700, Ocala, Florida 34470**, E-Mail: [whutchinson@ocalafl.org](mailto:whutchinson@ocalafl.org).
- D. **Payment of Invoices by City.** The City Project Manager must review and approve all invoices prior to payment. City Project Manager's approval shall not be unreasonably withheld, conditioned, or delayed. Payments by City shall be made no later than the time periods established in section 218.735, Florida Statutes.
- E. **Retainage.** City shall withhold an amount equal to **FIVE PERCENT (5%)** of each monthly progress payment as retainage to secure Contractor's full and faithful performance of its obligations under this Agreement (the "Retainage"). Contractor shall not be entitled to any interest received by City on Retainage. The Retainage shall be payable to Contractor, subject to the provisions of this subsection, upon satisfaction of the following conditions precedent: (1) confirmation from the City Project Manager that Contractor has satisfactorily completed all work in accordance with the provisions of the Agreement; and (2) receipt of the Consent of Surety of the recorded bond for final payment.
- F. **Withholding of Payment.** City reserves the right to withhold, in whole or in part, payment for any and all work that: (i) has not been completed by Contractor; (ii) is inadequate or defective and has not been remedied or resolved in a manner satisfactory to the City Project Manager; or (iii) which fails to comply with any term, condition, or other requirement under this Agreement. Any payment withheld shall be released and remitted to Contractor within **THIRTY (30)** calendar days of the Contractor's remedy or resolution of the inadequacy or defect.
- G. **Excess Funds.** If due to mistake or any other reason Contractor receives payment under this Agreement in excess of what is provided for by the Agreement, Contractor shall promptly notify City upon discovery of the receipt of the overpayment. Any overpayment

shall be refunded to City within **THIRTY (30)** days of Contractor's receipt of the overpayment or must also include interest calculated from the date of the overpayment at the interest rate for judgments at the highest rate as allowed by law.

- H. **Tax Exemption.** City is exempt from all federal excise and state sales taxes (State of Florida Consumer's Certification of Exemption 85-8012621655C-9). The City's Employer Identification Number is 59-60000392. Contractor shall not be exempted from paying sales tax to its suppliers for materials to fulfill contractual obligations with the City, nor will Contractor be authorized to use City's Tax Exemption Number for securing materials listed herein.
5. **TIME FOR PERFORMANCE.** Time is of the essence with respect to the performance of all duties, obligations, and responsibilities set forth in this Agreement and the Contract Documents.
- A. Contractor shall mobilize and commence work no later than **TEN (10)** working days from the date of issuance of a Notice to Proceed for the project by City. At no time will the Contractor be allowed to lag behind.
  - B. **All work shall be substantially completed by Contractor in a manner satisfactory to the City Project Manager within NINETY (90) days of the start date indicated on the Notice to Proceed and ready for final payment within THIRTY (30) days of substantial completion.**
  - C. The Time for Performance under this Agreement may only be adjusted by Change Order, in the sole and absolute discretion of City. Any request for an extension of the Time for Performance must be submitted in a writing delivered to the City Project Manager, along with all supporting data, within **SEVEN (7)** calendar days of the occurrence of the event giving rise to the need for adjustment unless the City allows an additional period of time to ascertain more accurate data. All requests for adjustments in the Contract Time shall be determined by City.
  - D. As to any delay, inefficiency, or interference in this performance of this Agreement caused by any act or failure to act by City, the Contractor's sole remedy shall be the entitlement of an extension of time to complete the performance of the affected work in accordance with the Contract Documents. Contractor agrees to make no claim for extra or additional costs attributable to said delays, inefficiencies or interference, except as provided in this Agreement.
  - E. None of the provisions of this section shall exclude City's right of recovery for damages caused by delays or inefficiencies caused by any act or failure to act by Contractor, to include costs incurred by City for the procurement of additional professional services.

6. **LIQUIDATED DAMAGES FOR LATE COMPLETION.** The parties agree that it would be extremely difficult and impracticable under the presently known facts and anticipated circumstances to ascertain and fix the actual damages that City and its residents would incur should Contractor fail to achieve Substantial Completion and/or Final Completion and readiness for final payment by the dates specified for each under the terms of this Agreement. Accordingly, the parties agree that should Contractor fail to achieve Substantial Completion by the date specified, then Contractor shall pay City, as liquidated damages and not as a penalty, the sum of **EIGHT HUNDRED EIGHTY-TWO AND NO/100 DOLLARS (\$882)** per day for each calendar day of unexcused delay in achieving Substantial Completion beyond the date specified for Substantial Completion in the Contract Documents. After Substantial Completion, if Contractor shall neglect, refuse, or fail to complete the remaining work within the time specified in the Contract Documents for Final Completion and readiness for final payment or any proper extension thereof granted by City, Contractor shall pay City, as liquidated damages and not as a penalty, additional sum of **TWO HUNDRED AND NO/100 DOLLARS (\$200)** per day for each calendar day of unexcused delay in achieving completion and readiness for final payment.

A. **No Waiver of Rights or Liabilities.** Permitting Contractor to continue and finish the work, or any part thereof, beyond the dates specified for Substantial Completion and/or Final Completion and readiness for final payment shall not operate as a waiver on the part of the City of any of its rights under this Agreement. Any liquidated damages assessed pursuant to this section shall not relieve Contractor from liability for any damages or costs of other contractors caused by a failure of Contractor to complete the work as agreed.

B. **Right to Withhold or Deduct Damages.** When liquidated damages are due and owing, City shall have the right to: (1) deduct the liquidated damages from any money in its hands or from any money otherwise due or to become due to Contractor; or to (2) initiate any applicable dispute resolution procedure for the recovery of liquidated damages within the times specified under this Agreement.

C. **Non-Cumulative.** The parties agree and understand that the amounts set forth under this section for liquidated damages are not cumulative with one another. The amount set forth as liquidated damages for Contractor's failure to achieve Substantial Completion shall be assessed upon default and continue until Substantial Completion is attained. The amount set forth as liquidated damages for Contractor's failure to achieve Final Completion and readiness for payment shall be assessed after Substantial Completion is attained and apply until Final Completion is attained.

- D. **Additional Costs.** In addition to the liquidated damages set forth under this section, Contractor agrees to pay all costs and expenses incurred by City due to Contractor's delay in performance to include inspection fees, superintendence costs, and travel expenses.
- E. **Injunctive Relief.** The parties acknowledge that monetary damages may not be a sufficient remedy for Contractor's failure to achieve Substantial Completion or Final Completion in accordance with the terms of this Agreement, and that City shall be entitled, in addition to all other rights or remedies in law and equity, to seek injunctive relief.
7. **MAINTENANCE AND GUARANTEE BOND.** Prior to final payment, Contractor shall furnish a Maintenance and Guarantee Bond in the amount of **TEN PERCENT (10%)** of the total project value, for a period of **THREE (3)** year for labor and **THREE (3)** year for materials from the date of final completion. Forms can be found at: <http://bidocala.com/vendor-resources/>. Prior to the City's receipt of Contractor's fully executed Maintenance and Guarantee Bond, Contractor will warrant all labor and materials completed pursuant to this Agreement.
8. **PUBLIC CONSTRUCTION BOND.** As required by section 255.05, Florida Statutes, Contractor shall furnish a certified and recorded Public Construction Bond in the amount of **ONE HUNDRED TWENTY-SIX THOUSAND, EIGHT HUNDRED SEVENTY-NINE AND NO/100 DOLLARS (\$126,879)** as security for the faithful performance of the work as required and set forth in **Exhibit A – Scope of Work** within the time set forth for performance under this Agreement and for prompt payments to all persons defined in section 713.01, Florida Statutes, who furnish labor, services, or materials for the completion of the work provided for herein. Forms can be found at: <http://bidocala.com/vendor-resources/>.
9. **FORCE MAJEURE.** Neither party shall be liable for delay, damage, or failure in the performance of any obligation under this Agreement if such delay, damage, or failure is due to causes beyond its reasonable control, including without limitation: fire, flood, strikes and labor disputes, acts of war, acts of nature, terrorism, civil unrest, pandemics, acts or delays in acting of the government of the United States or the several states, judicial orders, decrees or restrictions, or any other like reason which is beyond the control of the respective party ("Force Majeure"). The party affected by any event of force majeure shall use reasonable efforts to remedy, remove, or mitigate such event and the effects thereof with all reasonable dispatch.

The party affected by force majeure shall provide the other party with full particulars thereof including, but not limited to, the nature, details, and expected duration thereof, as soon as it becomes aware.

When force majeure circumstances arise, the parties shall negotiate in good faith any modifications of the terms of this Agreement that may be necessary or appropriate in order to arrive at an equitable solution. Contractor performance shall be extended for a number of days equal to the duration of the force majeure. Contractor shall be entitled to an extension of time only and, in no event, shall Contractor be entitled to any increased costs, additional compensation, or damages of any type resulting from such force majeure delays.

10. **INSPECTION AND ACCEPTANCE OF THE WORK.** Contractor shall report its progress to the City Project Manager as set forth herein. All services, work, and materials provided by Contractor under this Agreement shall be provided to the satisfaction and approval of the Project Manager.

A. The Project Manager shall decide all questions regarding the quality, acceptability, and/or fitness of materials furnished, or workmanship performed, the rate of progress of the work, the interpretation of the plans and specifications, and the acceptable fulfillment of the Agreement, in his or her sole discretion, based upon both the requirements set forth by City and the information provided by Contractor in its Proposal. The authority vested in the Project Manager pursuant to this paragraph shall be confined to the direction or specification of what is to be performed under this Agreement and shall not extend to the actual execution of the work.

B. Neither the Project Manager's review of Contractor's work nor recommendations made by Project Manager pursuant to this Agreement will impose on Project Manager any responsibility to supervise, direct, or control Contractor's work in progress or for the means, methods, techniques, sequences, or procedures of construction or safety precautions or programs incident Contractor's furnishing and performing the work.

11. **TERMINATION AND DEFAULT.** Either party, upon determination that the other party has failed or refused to perform or is otherwise in breach of any obligation or provision under this Agreement or the Contract Document, may give written notice of default to the defaulting party in the manner specified for the giving of notices herein. Termination of this Agreement by either party for any reason shall have no effect upon the rights or duties accruing to the parties prior to termination.

A. **Termination by City for Cause.** City shall have the right to terminate this Agreement immediately, in whole or in part, upon the failure of Contractor to carry out any obligation, term, or condition of this Agreement. City's election to terminate the Agreement for default shall be communicated by providing Contractor written notice of termination in the manner specified for the giving of notices herein. Any notice of termination given to



Contractor by City shall be effective immediately, unless otherwise provided therein, upon the occurrence of any one or more of the following events:

- (1) Contractor fails to timely and properly perform any of the services set forth in the specifications of the Agreement;
- (2) Contractor provides material that does not meet the specifications of the Agreement;
- (3) Contractor fails to complete the work required within the time stipulated in the Agreement; or
- (4) Contractor fails to make progress in the performance of the Agreement and/or gives City reason to believe that Contractor cannot or will not perform to the requirements of the Agreement.

B. **Contractor's Opportunity to Cure Default.** City may, in its sole discretion, provide Contractor with an opportunity to cure the violations set forth in City's notice of default to Contractor. Contractor shall commence to cure the violations immediately and shall diligently and continuously prosecute such cure to completion within a reasonable time as determined by City. If the violations are not corrected within the time determined to be reasonable by City or to the reasonable satisfaction of City, City may, without further notice, declare Contractor to be in breach of this Agreement and pursue all remedies available at law or equity, to include termination of this Agreement without further notice.

C. **City's Remedies Upon Contractor Default.** In the event that Contractor fails to cure any default under this Agreement within the time period specified in this section, City may pursue any remedies available at law or equity, including, without limitation, the following:

- (1) City shall be entitled to terminate this Agreement without further notice;
- (2) City shall be entitled to hire another contractor to complete the required work in accordance with the needs of City;
- (3) City shall be entitled to recover from Contractor all damages, costs, and attorney's fees arising from Contractor's default prior to termination; and
- (4) City shall be entitled to recovery from Contractor any actual excess costs by: (i) deduction from any unpaid balances owed to Contractor; or (ii) placing a claim against the performance bond; or (iii) any other remedy as provided by law.

D. **Termination for Convenience.** City reserves the right to terminate this Agreement in whole or in part at any time for the convenience of City without penalty or recourse. The Project Manager shall provide written notice of the termination. Upon receipt of the notice, Contractor shall immediately discontinue all work as directed in the notice, notify all subcontractors of the effective date of the termination, and minimize all further costs to City including, but not limited to, the placing of any and all orders for materials,



facilities, or supplies, in connection with its performance under this Agreement. Contractor shall be entitled to receive compensation solely for: (1) the actual cost of the work completed in conformity with this Agreement; and/or (2) such other costs incurred by Contractor as permitted under this Agreement and approved by City.

12. **DELAYS AND DAMAGES.** The Contractor agrees to make no claim for extra or additional costs attributable to any delays, inefficiencies, or interference in the performance of this contract occasioned by any act or omission to act by the City except as provided in the Agreement. The Contractor also agrees that any such delay, inefficiency, or interference shall be compensated for solely by an extension of time to complete the performance of the work in accordance with the provision in the standard specification.
13. **WARRANTY.** Contractor warrants that all labor, materials, and equipment furnished under the agreement are new, of the type and quality required for the Project, and installed in a good and workmanlike manner in accordance with the Contract Documents. Contractor shall guarantee that the work shall be free from any defects in workmanship for a period of not less than ONE (1) YEAR from the date of Final Completion. Contractor shall guarantee that the materials provided shall be free from any defects for the longer of: (1) ONE (1) YEAR from the date of Final Completion; or (2) the period of warranty provided by any supplier or manufacturer. All written manufacturers' warranties for materials supplied must be provided to the City Project Manager before final payment will be authorized.
14. **PERFORMANCE EVALUATION.** At the end of the contract, City may evaluate Contractor's performance. Any such evaluation will become public record.
15. **NOTICE REGARDING FAILURE TO FULFILL AGREEMENT.** Any contractor who enters into an Agreement with the City of Ocala and fails to complete the contract term, for any reason, shall be subject to future bidding suspension for a period of ONE (1) year and bid debarment for a period of up to THREE (3) years for serious contract failures.
16. **CONTRACTOR REPRESENTATIONS.** Contractor expressly represents that:
  - A. Contractor has read and is fully familiar with all the terms and conditions of this Agreement, the Contract Documents, and other related data and acknowledges that they are sufficient in scope and detail to indicate and convey understanding of all terms and conditions of the work to be performed by Contractor under this Agreement.
  - B. Contractor has disclosed, in writing, all known conflicts, errors, inconsistencies, discrepancies, or omissions discovered by Contractor in the Contract Documents, and that the City's written resolution of same is acceptable to Contractor.
  - C. Contractor has had an opportunity to visit, has visited, or has had an opportunity to examine and ask questions regarding the sites upon which the work is to be performed

and is satisfied with the site conditions that may affect cost, progress, and performance of the work, as observable or determinable by Contractor's own investigation.

- D. Contractor is satisfied with the site conditions that may affect cost, progress, and performance of the work, as observable or determinable by Contractor's own investigation.
- E. Contractor is familiar with all local, state, and Federal laws, regulations, and ordinances which may affect cost, progress, or its performance under this Agreement whatsoever.
- F. **Public Entity Crimes.** Neither Contractor, its parent corporations, subsidiaries, members, shareholders, partners, officers, directors or executives, nor any of its affiliates, contractors, suppliers, subcontractors, or consultants under this Agreement have been placed on the convicted vendor list following a conviction of a public entity crime. Contractor understands that a "public entity crime" as defined in section 287.133(1)(g), Florida Statutes, is "a violation of any state or federal law by a person with respect to and directly related to the transaction of business with any public entity or with an agency or political subdivision of any other state or with the United States..." Contractor further understands that any person or affiliate who has been placed on the convicted vendor list following a conviction for a public entity crime: (1) may not submit a bid, proposal, or reply on a contract: (a) to provide any goods or services to a public entity; (b) for the construction or repair of a public building or public work; or (c) for leases of real property to a public entity; (2) may not be awarded or perform work as a contractor, supplier, subcontractor, or consultant under a contract with any public entity; and (3) may not transact business with any public entity in excess of the threshold amount provided in section 287.017, Florida Statutes, for CATEGORY TWO for a period of 36 months from the date of being placed on the convicted vendor list.

17. **CONTRACTOR RESPONSIBILITIES.** Except as otherwise specifically provided for in this Agreement, the following provisions are the responsibility of the Contractor:

- A. Contractor shall competently and efficiently supervise, inspect, and direct all work to be performed under this Agreement, devoting such attention thereto and applying such skills and expertise as may be necessary to perform the work in accordance with the Contract Documents.
- B. Contractor shall be solely responsible for the means, methods, techniques, sequences, or procedures of construction and safety precautions or programs incident thereto.
- C. Contractor shall be responsible to see that the finished work complies accurately with the contract and the intent thereof.

- D. Contractor shall comply with all local, state, and Federal laws, regulations, and ordinances which may affect cost, progress, or its performance under this Agreement, including, but not limited to obtaining all permits, licenses, and other authorizations necessary for the prosecution of the work and be responsible for all costs associated with same.
  - E. Contractor shall operate and cause all construction equipment and materials supplied for or intended to be utilized in the Project to be operated and stored in only those areas prescribed by City. This includes the operations of workmen.
  - F. Contractor shall be fully responsible for receipt, inspection, acceptance, handling, and storage of all construction equipment and materials supplied for or intended to be utilized in the Project, whether furnished by Contractor or City. Contractor shall be responsible for providing adequate safeguards to prevent loss, theft, damage, or commingling with other materials or projects.
  - G. Contractor shall continue its performance under this Agreement during the pendency of any dispute or disagreement arising out of or relating to this Agreement, except as Contractor and City may otherwise agree in writing.
18. **NO EXCLUSIVITY.** It is expressly understood and agreed by the parties that this is not an exclusive agreement. Nothing in this Agreement shall be construed as creating any exclusive arrangement with Contractor or as prohibit City from either acquiring similar, equal, or like goods and/or services or from executing additional contracts with other entities or sources.
19. **RIGHT OF ACCESS AND OTHER WORK PERFORMED BY THIRD-PARTIES.** City may perform additional work related to the Project itself, or have additional work performed by utility service companies, or let other direct contracts therefore which shall contain General Conditions similar to these. Contractor shall afford the utility service companies and the other contractors who are parties to such direct contracts (or City, if City is performing the additional work with City's employees) reasonable opportunity for the introduction and storage of materials and equipment and the execution of work and shall properly connect and coordinate his work with theirs.
- A. If any part of Contractor's work depends for proper execution or results upon the work of any such other contractor or utility service company (or City), Contractor shall inspect and promptly report to City in writing any latent or apparent defects or deficiencies in such work that render it unsuitable for such proper execution and results. Contractor's failure to so report shall constitute an acceptance of the other work as fit and proper for integration with Contractor's work except for latent or non-apparent defects and deficiencies in the other work.

- B. Contractor shall do all cutting, fitting, and patching of work that may be required to make the parts come together properly and integrate with such other work. Contractor shall not endanger any work of others by cutting, excavating, or otherwise altering their work, and will only cut or alter their work with the written consent of City.
20. **STORAGE OF MATERIALS/EQUIPMENT.** Contractor shall be fully responsible for receipt, inspection, acceptance, handling, and storage of equipment and materials (whether furnished by Contractor or City) to be utilized in the performance of or incorporated into the work.
21. **RESPONSIBILITIES OF CITY.** City or its representative shall issue all communications to Contractor. City has the authority to request changes in the work in accordance with the terms of this Agreement and with the terms in **Exhibit A – Scope of Work.** City has the authority to stop work or to suspend any work.
22. **COMMERCIAL AUTO LIABILITY INSURANCE.** Contractor shall procure and maintain, for the life of this Agreement, commercial auto liability insurance covering all automobiles owned, non-owned, hired, and scheduled by Contractor with a combined limit of not less than One Million Dollars (\$1,000,000) for bodily injury and property damage for each accident. Contractor’s commercial automobile liability insurance policy must name, as additional insured, the City of Ocala, a political subdivision of the State of Florida, and its officials, employees, and volunteers.
23. **COMMERCIAL GENERAL LIABILITY INSURANCE.** Contractor shall procure and maintain, for the life of this Agreement, commercial general liability insurance with minimum coverage limits not less than:
- A. One Million Dollars (\$1,000,000) per occurrence and Two Million Dollars (\$2,000,000) aggregate limit for bodily injury, property damage, and personal injury, and advertising injury; and
  - B. One Million Dollars (\$1,000,000) per occurrence and Two Million Dollars (\$2,000,000) aggregate limit for contractual liability, products and completed operations, independent contractors, and property in the care, control or custody of the Contractor.
  - C. Contractor’s commercial general liability insurance policy shall include Endorsement CG 20 10 11 85, or equivalent, naming as an additional insured the City of Ocala, a political subdivision of the State of Florida, and its officials, employees, and volunteers. The coverage shall contain no special limitation on the scope of protection afforded to City, its officials, employees, or volunteers.
24. **WORKERS’ COMPENSATION AND EMPLOYER’S LIABILITY COVERAGE.** Contractor shall procure and maintain, for the life of this Agreement, Workers’ Compensation insurance and employer’s liability coverage in amounts required by Florida law. If Contractor claims an

exemption from workers' compensation coverage, Contractor must provide a copy of the Certificate of Exemption from the Florida Division of Workers' Compensation for all officers or members of an LLC claiming exemption who will be participating in the Work. Contractor is solely responsible for compliance with any Federal workers' compensation laws such as Jones Act and USL&H Act, including any benefits available to any workers performing work on this Project. In case any class of employees engaged in hazardous work under this Agreement is not protected under Worker's Compensation statutes, the contractor shall provide and cause each subcontractor to provide adequate insurance satisfactory to the City for the protection of its employees not otherwise protected.

25. **MISCELLANEOUS INSURANCE PROVISIONS.**

- A. Insurance Requirements. These insurance requirements shall not relieve or limit the liability of Contractor. City does not in any way represent that these types or amounts of insurance are sufficient or adequate to protect Contractor's interests or liabilities but are merely minimums. No insurance is provided by the City under this contract to cover Contractor. **No work shall be commenced under this contract until the required Certificate(s) of Insurance have been provided.** Work shall not continue after expiration (or cancellation) of the Certificates of Insurance and shall not resume until new Certificate(s) of Insurance have been provided. Insurance written on a "Claims Made" form is not acceptable without consultation with City of Ocala Risk Management.
- B. Deductibles. Contractor is responsible for paying any and all deductibles or self-insured retention. Any deductibles or self-insured retentions above \$100,000 must be declared to and approved by the City. Approval will not be unreasonably withheld.
- C. Certificates of Insurance. Contractor shall provide Certificates of Insurance, accompanied by copies of all endorsements required by this section, that are issued by an agency authorized to do business in the State of Florida and with an A.M. Best rating\* of A-V or greater. Renewal certificates must be forwarded to the **City of Ocala Contracting Department, Third Floor, 110 SE Watula Avenue, Ocala, FL 34471, E-Mail: [vendors@ocalafl.org](mailto:vendors@ocalafl.org)** prior to the policy expiration.
- D. Failure to Maintain Coverage. In the event Contractor fails to disclose each applicable deductible/self-insured retention or obtain or maintain in full force and effect any insurance coverage required to be obtained by Contractor under this Agreement, Contractor shall be considered to be in default of this Agreement.
- E. Severability of Interests. Contractor shall arrange for its liability insurance to include General Liability, Business Automobile Liability, and Excess/Umbrella Insurance, or to be endorsed to include a severability of interests/cross liability provision so that the "City of

Ocala" (where named as an additional insured) will be treated as if a separate policy were in existence, but without increasing the policy limits.

- F. Mandatory Endorsements for All Required Policies. All required policies shall include: (i) endorsement that waives any right of subrogation against the City of Ocala for any policy of insurance provided under this Agreement or under any state or federal worker's compensation or employer's liability act; and (ii) endorsement to give the City of Ocala no less than **THIRTY (30)** days written notice (with the exception of non-payment of premium which requires a **TEN (10)** calendar day notice) in the event of cancellation or material change.

26. **SAFETY/ENVIRONMENTAL.** Contractor shall be responsible for initiating, maintaining, and supervising all safety precautions and programs in connection with the Work. Contractor shall make an effort to detect hazardous conditions and shall take prompt action where necessary to avoid accident, injury or property damage. EPA, DEP, OSHA and all other applicable safety laws and ordinances shall be followed as well as American National Standards Institute Safety Standards. Contractor shall take all necessary precautions for the safety of, and shall provide the necessary protection to prevent damage, injury, or loss to:

- A. All employees on the work and other persons that may be affected thereby;
- B. All work, materials and equipment to be incorporated therein, whether in storage on or off the site; and
- C. Other property at the site or adjacent thereto, including trees, shrubs, lawns, walks, pavements, roadways, structures, and utilities not designated for removal, relocation, or replacement in the course of construction.

All, injury, or loss to any property caused, directly or indirectly, in whole or in part, by Contractor, any subcontractor, or anyone directly or indirectly employed by any of them, or anyone for whose acts any of them may be liable, shall be remedied by Contractor. Contractor's duties and responsibilities for the safety and protection of the work shall continue until such time as the work is completed and accepted by City.

27. **TRAFFIC CONTROL AND BARRICADES.** The Contractor shall mitigate impact on local traffic conditions to all extents possible. The Contractor is responsible for establishing and maintaining appropriate traffic control and barricades. The Contractor shall provide sufficient signing, flagging and barricading to ensure the safety of vehicular and pedestrian traffic at all locations where work is being done under this Agreement.

- A. In addition to the requirements set forth in bid, the Contractor shall maintain at all times a good and sufficient fence, railing or barrier around all exposed portions of said work in such a manner as to warn vehicular and pedestrian traffic of hazardous conditions.

B. Should Contractor fail to properly barricade his work or stored material sites in the manner outlined above, the City may have the necessary barricading done, and all cost incurred for said barricading shall be charged to the Contractor.

28. **WORK SITE AND CLEANUP.** Daily, during the progress of the work, Contractor shall keep the premises free from accumulations of waste materials, rubbish, and all other debris resulting from the work. At the completion of the work, Contractor shall remove all waste materials, rubbish, and debris from and about the premises, as well as all tools, appliances, construction equipment and machinery, and surplus materials, and shall leave the site clean and ready for occupancy by City. Contractor shall provide an inventory listing of all surplus materials in an area designated by City. Contractor shall restore to their original condition those portions of the site not designated or alteration by the Contract.

29. **CONSTRUCTION SURVEY LAYOUT.** The work to be performed pursuant to survey work provided by City shall be completed as necessary to establish all proper alignments, right of way, easements, bench marks, elevations and grade stakes to complete all phases of this Contract. Contractor shall immediately bring to City's attention any survey issues that would impede the Contractor's completion of the work. The work performed pursuant to survey work at the Contractor's expense pursuant to this Agreement shall be prepared by a licensed surveyor and provided to the City. Any survey issues with these surveys that would impede the Contractor's completion of the work shall immediately be brought to the City's attention. If additional or corrective survey work is required, it shall be at Contractor's expense.

The City Engineer/City Project Manager shall establish a number of benchmarks on the project which in their opinion will enable the Contractor to perform the work. If Contractor shall remove or destroy any stake, marker or benchmark on the work without first having secured the approval of the City Engineer/City Project Manager, such stake, or benchmark shall be re-established by and at Contractor's expense. It shall be the responsibility of Contractor to preserve all adjacent property corner markers which might be affected by their operations, and replace same if undermined. Corner locations known by City will be made available to Contractor. All original field notes, calculations, and other documents developed by the surveyor in conjunction with this work shall be given to City and become City property. All surveying work must be in accordance with Chapters 177 and 472 of Florida Statutes and Chapter 61G17 of the Florida Administrative Code.

30. **NON-DISCRIMINATORY EMPLOYMENT PRACTICES.** During the performance of the contract, the Contractor shall not discriminate against any employee or applicant for employment because of race, color, religion, ancestry, national origin, sex, pregnancy, age, disability, sexual orientation, gender identity, marital or domestic partner status, familial



status, or veteran status and shall take affirmative action to ensure that an employee or applicant is afforded equal employment opportunities without discrimination. Such action shall be taken with reference to, but not limited to: recruitment, employment, termination, rates of pay or other forms of compensation and selection for training or retraining, including apprenticeship and on-the-job training.

31. **SUBCONTRACTORS.** Nothing in this Agreement shall be construed to create, impose, or give rise to any duty owed by City or its representatives to any subcontractor of Contractor or any other persons or organizations having a direct contract with Contractor, nor shall it create any obligation on the part of City or its representatives to pay or seek payment of any monies to any subcontractor of Contractor or any other persons or organizations having a direct contract with Contractor, except as may otherwise be required by law. City shall not be responsible for the acts or omissions of any Contractor, subcontractor, or of any of their agents or employees, nor shall it create any obligation on the part of City or its representatives to pay or to seek the payment of any monies to any subcontractor or other person or organization, except as may otherwise be required by law.
32. **EMERGENCIES.** In an emergency affecting the welfare and safety of life or property, Contractor, without special instruction or authorization from the City Project Manager, is hereby permitted, authorized and directed to act at its own discretion to prevent threatened loss or injury. Except in the case of an emergency requiring immediate remedial work, any work performed after regular working hours, on Saturdays, Sundays or legal holidays, shall be performed without additional expense to the City unless such work has been specifically requested and approved by the City Project Manager. Contractor shall be required to provide to the City Project Manager with the names, addresses and telephone numbers of those representatives who can be contacted at any time in case of emergency. Contractor's emergency representatives must be fully authorized and equipped to correct unsafe or excessively inconvenient conditions on short notice by City or public inspectors.
33. **INDEPENDENT CONTRACTOR STATUS.** Contractor acknowledges and agrees that under this Agreement, Contractor and any agent or employee of Contractor shall be deemed at all times to be an independent contractor and shall be wholly responsible for the manner in which it performs the services and work required under this Agreement. Neither Contractor nor its agents or employees shall represent or hold themselves out to be employees of City at any time. Neither Contractor nor its agents or employees shall have employee status with City. Nothing in this Agreement shall constitute or be construed to create any intent on the part of either party to create an agency relationship, partnership, employer-employee relationship, joint venture relationship, or any other relationship which would allow City to exercise control

or discretion over the manner or methods employed by Contractor in its performance of its obligations under this Agreement.

34. **ACCESS TO FACILITIES.** City shall provide Contractor with access to all City facilities as is reasonably necessary for Contractor to perform its obligations under this Agreement.
35. **ASSIGNMENT.** Neither party may assign its rights or obligations under this Agreement to any third party without the prior express approval of the other party, which shall not be unreasonably withheld.
36. **RIGHT OF CITY TO TAKE OVER CONTRACT.** Should the work to be performed by Contractor under this Agreement be abandoned, or should Contractor become insolvent, or if Contractor shall assign or sublet the work to be performed hereunder without the written consent of City, the City Project Manager shall have the power and right to hire and acquire additional men and equipment, supply additional material, and perform such work as deemed necessary for the completion of this Agreement. Under these circumstances, all expenses and costs actually incurred by City to accomplish such completion shall be credited to City along with amounts attributable to any other elements of damage and certified by the Project Manager. The City Project Manager's certification as to the amount of such liability shall be final and conclusive.
37. **PUBLIC RECORDS.** The Contractor shall comply with all applicable provisions of the Florida Public Records Act, Chapter 119, Florida Statutes. Specifically, the Contractor shall:
  - A. Keep and maintain public records required by the public agency to perform the service.
  - B. Upon request from the public agency's custodian of public records, provide the public agency with a copy of the requested records or allow the records to be inspected or copied within a reasonable time at a cost that does not exceed the cost provided in Chapter 119, Florida Statutes, or as otherwise provided by law.
  - C. Ensure that public records that are exempt or confidential and exempt from public records disclosure requirements are not disclosed except as authorized by law for the duration of the contract term and following completion of the contract if the Contractor does not transfer the records to the public agency.
  - D. Upon completion of the contract, transfer, at no cost, to the public agency all public records in possession of the Contractor or keep and maintain public records required by the public agency to perform the service. If the Contractor transfers all public records to the public agency upon completion of the contract, the Contractor shall destroy any duplicate public records that are exempt or confidential and exempt from public records disclosure requirements. If the Contractor keeps and maintains public records upon completion of the contract, the Contractor shall meet all applicable requirements for

retaining public records. All records stored electronically must be provided to the public agency, upon request from the public agency's custodian of public records, in a format that is compatible with the information technology systems of the public agency.

**IF THE CONTRACTOR HAS QUESTIONS REGARDING THE APPLICATION OF CHAPTER 119, FLORIDA STATUTES, TO THE CONTRACTOR'S DUTY TO PROVIDE PUBLIC RECORDS RELATING TO THIS CONTRACT, CONTACT THE CUSTODIAN OF PUBLIC RECORDS AT: CITY OF OCALA, OFFICE OF THE CITY CLERK; 352-629-8266; E-mail: clerk@ocalafl.org; City Hall, 110 SE Watula Avenue, Ocala, FL 34471.**

38. **AUDIT.** Contractor shall comply and cooperate immediately with any inspections, reviews, investigations, or audits relating to this Agreement as deemed necessary by the Florida Office of the Inspector General, the City's Internal or External auditors or by any other Florida official with proper authority.
39. **PUBLICITY.** Contractor shall not use City's name, logo, seal or other likeness in any press release, marketing materials, or other public announcement without City's prior written approval.
40. **E-VERIFY.** In accordance with Executive Order 11-116, Contractor shall utilize the U.S. Agency of Homeland Security's E-Verify system, <https://e-verify.uscis.gov/emp>, to verify the employment eligibility of all employees hired during the term of this Agreement. Contractor shall also require all subcontractors performing work under this Agreement to utilize the E-Verify system for any employees they may hire during the term of this Agreement.
41. **CONFLICT OF INTEREST.** Contractor is required to have disclosed, with the submission of their bid, the name of any officer, director, or agent who may be employed by the City. Contractor shall further disclose the name of any City employee who owns, directly or indirectly, any interest in Contractor's business or any affiliated business entity. Any additional conflicts of interest that may occur during the contract term must be disclosed to the City of Ocala Procurement Department.
42. **WAIVER.** The failure or delay of any party at any time to require performance by another party of any provision of this Agreement, even if known, shall not affect the right of such party to require performance of that provision or to exercise any right, power or remedy hereunder. Any waiver by any party of any breach of any provision of this Agreement should not be construed as a waiver of any continuing or succeeding breach of such provision, a

waiver of the provision itself, or a waiver of any right, power or remedy under this Agreement. No notice to or demand on any party in any circumstance shall, of itself, entitle such party to any other or further notice or demand in similar or other circumstances.

43. **SEVERABILITY OF ILLEGAL PROVISIONS.** Wherever possible, each provision of this Agreement shall be interpreted in such a manner as to be effective and valid under the applicable law. Should any portion of this Agreement be declared invalid for any reason, such declaration shall have no effect upon the remaining portions of this Agreement.
44. **INDEMNITY.** Contractor shall indemnify City and its elected officials, employees and volunteers against, and hold City and its elected officials, employees and volunteers harmless from, all damages, claims, losses, costs, and expenses, including reasonable attorneys' fees, which City or its elected officials, employees or volunteers may sustain, or which may be asserted against City or its elected officials, employees or volunteers, arising out of the activities contemplated by this Agreement including, without limitation, harm or personal injury to third persons during the term of this Agreement to the extent attributable to the actions of Contractor, its agents, and employees.
45. **NO WAIVER OF SOVEREIGN IMMUNITY.** Nothing herein is intended to waive sovereign immunity by the City to which sovereign immunity may be applicable, or of any rights or limits of liability existing under Florida Statute § 768.28. This term shall survive the termination of all performance or obligations under this Agreement and shall be fully binding until any proceeding brought under this Agreement is barred by any applicable statute of limitations.
46. **NOTICES.** All notices, certifications or communications required by this Agreement shall be given in writing and shall be deemed delivered when personally served, or when received if by facsimile transmission with a confirming copy mailed by registered or certified mail, postage prepaid, return receipt requested. Notices can be concurrently delivered by e-mail. All notices shall be addressed to the respective parties as follows:

If to Contractor:

Blackwater Construction Services, LLC  
Attention: Derek Dykes  
2815 SE 30<sup>th</sup> Street  
Ocala, Florida 34471  
Phone: (352) 372-7220  
Email: [derek@blackwatercsllc.com](mailto:derek@blackwatercsllc.com)

If to City of Ocala:

Tiffany Kimball, Contracting Officer  
110 SE Watula Avenue, 3rd Floor  
Ocala, Florida 34471  
Phone: 352-629-8366  
Fax: 352-690-2025  
E-mail: [tkimball@ocalafl.org](mailto:tkimball@ocalafl.org)

Copy to:

Robert W. Batsel, Jr., Esquire  
Gilligan, Gooding, Batsel & Anderson, P.A.  
1531 SE 36<sup>th</sup> Avenue  
Ocala, Florida 34471  
Phone: 352-867-7707  
Fax: 352-867-0237  
E-mail: [rbatsel@ocalalaw.com](mailto:rbatsel@ocalalaw.com)

47. **ATTORNEYS' FEES.** If any civil action, arbitration or other legal proceeding is brought for the enforcement of this Agreement, or because of an alleged dispute, breach, default or misrepresentation in connection with any provision of this Agreement, the successful or prevailing party shall be entitled to recover reasonable attorneys' fees, sales and use taxes, court costs and all expenses reasonably incurred even if not taxable as court costs (including, without limitation, all such fees, taxes, costs and expenses incident to arbitration, appellate, bankruptcy and post-judgment proceedings), incurred in that civil action, arbitration or legal proceeding, in addition to any other relief to which such party or parties may be entitled. Attorneys' fees shall include, without limitation, paralegal fees, investigative fees, administrative costs, sales and use taxes and all other charges reasonably billed by the attorney to the prevailing party.
48. **JURY WAIVER.** IN ANY CIVIL ACTION, COUNTERCLAIM, OR PROCEEDING, WHETHER AT LAW OR IN EQUITY, WHICH ARISES OUT OF, CONCERNS, OR RELATES TO THIS AGREEMENT, ANY AND ALL TRANSACTIONS CONTEMPLATED HEREUNDER, THE PERFORMANCE HEREOF, OR THE RELATIONSHIP CREATED HEREBY, WHETHER SOUNDING IN CONTRACT, TORT, STRICT LIABILITY, OR OTHERWISE, TRIAL SHALL BE TO A COURT OF COMPETENT JURISDICTION AND NOT TO A JURY. EACH PARTY HEREBY IRREVOCABLY WAIVES ANY RIGHT IT MAY HAVE TO A TRIAL BY JURY. NEITHER

PARTY HAS MADE OR RELIED UPON ANY ORAL REPRESENTATIONS TO OR BY ANY OTHER PARTY REGARDING THE ENFORCEABILITY OF THIS PROVISION. EACH PARTY HAS READ AND UNDERSTANDS THE EFFECT OF THIS JURY WAIVER PROVISION.

49. **GOVERNING LAW.** This Agreement is and shall be deemed to be a contract entered and made pursuant to the laws of the State of Florida and shall in all respects be governed, construed, applied and enforced in accordance with the laws of the State of Florida.
50. **JURISDICTION AND VENUE.** The parties acknowledge that a majority of the negotiations, anticipated performance and execution of this Agreement occurred or shall occur in Marion County, Florida. Any civil action or legal proceeding arising out of or relating to this Agreement shall be brought only in the courts of record of the State of Florida in Marion County or the United States District Court, Middle District of Florida, Ocala Division. Each party consents to the exclusive jurisdiction of such court in any such civil action or legal proceeding and waives any objection to the laying of venue of any such civil action or legal proceeding in such court and/or the right to bring an action or proceeding in any other court. Service of any court paper may be effected on such party by mail, as provided in this Agreement, or in such other manner as may be provided under applicable laws, rules of procedures or local rules.
51. **REFERENCE TO PARTIES.** Each reference herein to the parties shall be deemed to include their successors, assigns, heirs, administrators, and legal representatives, all whom shall be bound by the provisions hereof.
52. **MUTUALITY OF NEGOTIATION.** Contractor and City acknowledge that this Agreement is a result of negotiations between Contractor and City, and the Agreement shall not be construed in favor of, or against, either party because of that party having been more involved in the drafting of the Agreement.
53. **SECTION HEADINGS.** The section headings herein are included for convenience only and shall not be deemed to be a part of this Agreement.
54. **RIGHTS OF THIRD PARTIES.** Nothing in this Agreement, whether express or implied, is intended to confer any rights or remedies under or because of this Agreement on any persons other than the parties hereto and their respective legal representatives, successors and permitted assigns. Nothing in this Agreement is intended to relieve or discharge the obligation or liability of any third persons to any party to this Agreement, nor shall any provision give any third persons any right of subrogation or action over or against any party to this Agreement.

55. **AMENDMENT.** No amendment to this Agreement shall be effective except those agreed to in writing and signed by both parties to this Agreement.
56. **COUNTERPARTS.** This Agreement may be executed in counterparts, each of which shall be an original and all of which shall constitute the same instrument.
57. **ELECTRONIC SIGNATURE(S).** Contractor, if and by offering an electronic signature in any form whatsoever, will accept and agree to be bound by said electronic signature to all terms and conditions of this Agreement. Further, a duplicate or copy of the Agreement that contains a duplicated or non-original signature will be treated the same as an original, signed copy of this original Agreement for all purposes.
58. **ENTIRE AGREEMENT.** This Agreement, including exhibits, (if any) constitutes the entire Agreement between the parties hereto with respect to the subject matter hereof. There are no other representations, warranties, promises, agreements or understandings, oral, written or implied, among the Parties, except to the extent reference is made thereto in this Agreement. No course of prior dealings between the parties and no usage of trade shall be relevant or admissible to supplement, explain, or vary any of the terms of this Agreement. No representations, understandings, or agreements have been made or relied upon in the making of this Agreement other than those specifically set forth herein.
59. **LEGAL AUTHORITY.** Each person signing this Agreement on behalf of either party individually warrants that he or she has full legal power to execute this Agreement on behalf of the party for whom he or she is signing, and to bind and obligate such party with respect to all provisions contained in this Agreement.

**[REMAINDER OF PAGE INTENTIONALLY LEFT BLANK. SIGNATURE PAGE TO FOLLOW.]**



IN WITNESS WHEREOF, the parties have executed this Agreement on 10 / 19 / 2021.

**ATTEST:**

**CITY OF OCALA**

*Angel B. Jacobs*

Angel B. Jacobs  
City Clerk

*Justin Grabelle*

Justin Grabelle  
City Council President

**Approved as to form and legality:**

**BLACKWATER CONSTRUCTION SERVICES, LLC**

*/s/ Robert W. Batsel, Jr.*

Robert W. Batsel, Jr.  
City Attorney

By: *Derek Dykes*

Blackwater Construc

(Printed Name)

president

(Title)

**BACKGROUND**

1. Contractor shall provide all materials, labor, and equipment necessary to complete the construction of a two-unit restroom building with storage and vending machine space at Ocala Skate Park located at 517 NE 9th Street, Ocala, Florida.
2. This is a lump sum project for the complete construction of the restroom building at the City of Ocala Skate Park as specified herein, as designed and in **Exhibit B - Plan Set**.
3. All work shall be coordinated through City Project Manager Brian Hutchinson, (352) 401-6935, e-mail: [WHutchinson@ocalafl.org](mailto:WHutchinson@ocalafl.org). Contractor must provide a valid telephone number and address to the City Project Manager. The phone must be answered during normal working hours, or voicemail must be available to leave a message.

**PERMIT REQUIREMENTS**

1. **Permits Required:** Contractor will be responsible for obtaining the following City of Ocala permits at no additional cost to the City:
  - Electrical
  - Plumbing
  - Building
  - And any other permits for the completion of this building.
2. **Estimated Permit Cost:** The permit allowance is **\$1,400** for this project.
3. **Permit Fee Schedule** Information regarding permitting fees can be found at the following link: <https://www.ocalafl.org/home/showpublisheddocument/490/637545367420930000>
4. **Construction Permit Applications:** For construction permits and related documents, please visit: <https://www.ocalafl.org/government/city-departments-a-h/growth-management/building/construction-permits>

**PROJECT SUMMARY**

1. Construction of a new two-unit split block CMU restroom building with a storage room and vending machine space.
2. Installation of water and sewer lines and connection to nearest service as specified.
3. Toilets to be installed must be commercial grade with flush valves.
4. Exhibit B – Plan Set, the existing roof design will remain as is, but the art element is removed from project.
5. Exhibit B – Plan Set, Page 5, Toilet Accessory Schedule, Line item T-4. Hand Dryer should be a “World Dryer Model.”
6. Exhibit B – Plan Set, Page 5, Water Heater, should be a “Tempra 20/20 model.”
7. Exhibit B – Plan Set, Page 2, Door Hardware Schedule, Indicator Deadbolt should be a Schlage AL Series lockset. The City of Ocala will install a restricted keyway Schlage 29T, 6 pin cylinder after construction is complete. Contractor may install construction cylinder.

8. Connection to electric as specified.
9. Provision of erosion, sediment, and flood control as specified.
10. Provision of tree protection for any trees within 50 feet of the building as specified.
11. Minor site restoration including sod if disturbed, and any other site/utility concerns which may affect construction.
12. Trenching conduits/pipe, minor grading and sodding disturbed areas. The two 4" secondary leads from the transformer to the meter cabinet depth is 24"
13. Contractor will provide and install silt and chain-link construction fence around the perimeter of the construction area.
14. Removal and replacement of existing landscaping and irrigation on project site by City.
15. Replacement of any existing sidewalk sections, if necessary, will be performed by City.
16. Sewer (Gravity): City (Water Resources Department) will install sewer later to building. Contractor to install stub-out at building and connect to City provided lateral.
17. Sidewalks: City (Parks Staff) will make repairs to existing sidewalks and will install sidewalks to new building.
18. Survey: City (Survey Staff) will provide updated survey and stake new building location.
19. Change in Scope: Should the City and Contractor mutually agree to a change in the scope of work during the term of this agreement, a written price adjustment must be executed by all parties.

## PROJECT SPECIFICATIONS

This project will require the Contractor to follow the following plans and specifications:

1. Plan Set for the project attached as Exhibit B.
2. Instructions to Contractor and governing specifications for this project are in City of Ocala, "Standard Specifications for Construction", and can be found at the following website: <https://bidocala.com/wp-content/uploads/City-of-Ocala-Standard-Specifications-for-Construction-5.21.21.pdf>
3. Florida Department of Transportation (FDOT) Standard Specifications for Road and Bridge Construction, latest edition:
  - A. In case of dispute, FDOT Standard Specifications for Road and Bridge Construction, latest edition, takes precedence on construction items including concrete, earthwork, maintenance of traffic (MOT), and sediment control.
  - B. Requirements for this project are to return the site to original condition or to new grades as shown on the project drawings. Standard general site work requirements are found in Sections 120, 125 and 162 of FDOT Standard Specifications for Road and Bridge Construction, latest edition.
  - C. Specification link: <https://www.fdot.gov/programmanagement/Implemented/SpecBooks/>
4. Florida Department of Transportation (FDOT) Design Standards, latest edition, available at: <https://www.fdot.gov/design/standardplans/DS.shtm>

5. All work must be in compliance with the Florida Building Code. For information please visit the following link: <https://floridabuilding.org/c/default.aspx>
6. The Contractor must have the above listed documents in addition to up to date copies of shop drawings, plans and bid document at job sites at all times.
7. All material & construction equipment must meet FDOT Standard Specifications for Road and Bridge, latest edition. Substantial completion date will start warranty period for each project assigned.

**WORKING HOURS**

1. Standard working hours for this work will be from 7:00 AM to 5:00 PM, Monday through Friday, excluding City observed holidays.
2. Any work outside of these hours must be approved by the City Project Manager prior to the work being performed.

**CONSTRUCTION COMPONENT SCOPE**

1. Supply and install erosion control silt fence, tree protection fencing and perimeter security fencing in accordance with City guidelines, City of Ocala, "Standard Specifications for Construction" and NPDES requirements.
2. Provide a construction layout survey and a detailed "as built" survey at final completion locating and labeling size of all new electrical conduits, concrete junction boxes and all other information required for "as built" survey.

**ELECTRICAL**

1. Electrical work shall comply with all applicable codes as enforced by the authorities having jurisdiction, including (but not limited to) NFPA 70 National Electric Code and NFPA 101 Life Safety Codes.
2. Contractor will be responsible for installing electric service, piping, and wire from new restroom to existing volt/meter. Contractor to coordinate with Ocala Electric Utility (OEU) when accessing volt/meter to assist with safety protocols.

**SAFETY**

1. The Contractor shall be fully responsible for meeting all OSHA, local, state, and national codes concerning safety provisions for their employees, sub-contractors, all building and site occupants, staff, public, etc.
2. Job site visits by City staff do not constitute approval, awareness, or liability for any hazardous condition.
3. Contractor shall be responsible for all damage to buildings, curbing, pavement, landscaping, or irrigation systems caused by the delivery or removal of materials.
4. In no event shall the City be responsible for any damages to any of the Contractor's equipment or clothing lost, damaged, destroyed, or stolen.

Prior to completion, storage and adequate protection of all material and equipment will be the Contractor's responsibility.

**CONTRACTOR EMPLOYEES AND EQUIPMENT**

1. Contractor must utilize competent employees in performing the work. Employees performing the work must be properly licensed or qualified as required by the scope.
2. At the request of the City, the Contractor must replace any incompetent, unfaithful, abusive, or disorderly person in their employment. The City and the Contractor must each be promptly notified by the other of any complaints received.
3. The employees of the Contractor must wear suitable work clothes and personal protective equipment as defined by OSHA (hard hats, bucket harnesses, etc.) and meeting Manual on Uniform Traffic Control Devices (MUTCD) and National Electrical Safety Code (NESC) requirements as indicated for all work conducted and be as clean and in as good appearance as the job conditions permit.
4. Contractor will operate as an independent contractor and not as an agent, representative, partner or employee of the City of Ocala, and shall control their operations at the work site, and be solely responsible for the acts or omissions of their employees.
5. No smoking is allowed on City property or projects.
6. Contractor must possess/obtain all required equipment to perform the work.
7. All Contractor's and sub-contractor's vehicles shall have their company name located on the side and all personnel shall be required to wear a company shirt.

**DENSITY AND CONCRETE TESTING**

1. Contractor is responsible for density testing.
2. Backfilling and compaction procedures shall be performed in accordance with City of Ocala Specification 31 23 23.00, and the FDOT Standard Specifications for Road and Bridge Construction (Latest Edition) and FDOT Design Standards (Latest Edition), or as otherwise directed in writing by the City of Ocala.

**CONSTRUCTION SURVEY LAYOUT**

1. The work to be performed shall be for the survey work necessary to establish proper alignments, right of way, easements, benchmarks, elevations, and grade stakes to complete all phases of this Contract as specified.
2. It shall be the responsibility of the Contractor to preserve all adjacent property corner markers which might be affected by their operations and replace same if undermined. Corner locations known by the City will be made available to the Contractor.
3. All original field notes, calculations, and other documents developed by the surveyor in conjunction with this work shall be given to the City and become City property.
4. See Exhibit D – Geotechnical Report for soil conditions.
5. The above work shall be done in such sequence that the above items will be in place at final acceptance of the project. All surveying work must be in accordance with Chapters 177 and 472 of Florida Statutes and Chapter 61G17 of the Florida Administrative Code.

6. Payment for this work shall be included in lump sum in the proposal and shall be full compensation for all labor, material, equipment, and other incidental costs incurred by Contractor to obtain completed and approved construction.

**CONSTRUCTION FACILITIES**

Administrative Submittals:

1. Submit copies of permits and approvals for construction as required by laws and regulations and governing agencies.
2. Submit temporary construction parking area plans, storage yard, storage trailer location, staging area plan, and plan for disposal of waste materials.
3. Submit material submittals (3 copies) to Project Manager for items in scope of work to be approved before order and installation.

**MOBILIZATION**

1. Contractor is responsible for obtaining of required permits and the moving of Contractor's operations and equipment required for construction.
2. Provide on-site construction power and wiring, and on-site communication facilities, as needed.
3. Provide on-site sanitary facilities and potable water facilities as specified and as required by governing agencies. The Contractor will not be permitted to use the City sanitary facilities during construction.
4. Posting of OSHA required Notices and establishing of safety programs and procedures.

**CLEANUP**

1. At completion of work, Contractor shall remove from the building and site: all tools, equipment surplus materials, debris, temporary facilities, and equipment.
2. The areas of work shall be swept thoroughly and all marks, stains, rust, dirt, paint drippings, and the like shall be removed from all new and existing work, to the satisfaction of the City.
3. Removal and disposal of old equipment and material shall be Contractor's responsibility.
4. Contractor shall dispose of debris, equipment, and material in a legal manner. Provide approved containers for collection and disposal of waste materials, debris, and rubbish.
5. At least once weekly dispose of such waste materials, debris, and rubbish off-site.

**FINAL CLEANING**

At completion of work, clean entire work, and project site as applicable.

1. Leave the work and adjacent areas affected in a cleaned condition satisfactory to the City.
2. Remove grease, dirt, dust, paint, stains, labels, fingerprints, and other foreign materials from exposed surfaces.
3. Hose clean sidewalks and concrete exposed surfaces.
4. Use only cleaning materials recommended by manufacturer of surfaces to be cleaned.

**EROSION, SEDIMENT, AND FLOOD CONTROL**

1. Provide, maintain, and operate temporary facilities to control erosion and sediment, and to protect work and existing facilities from flooding during construction.
2. Maintain drainage ways and construct temporary drainage facilities to allow runoff to flow properly.

**FINISH GRADING**

1. As soon as practical after completion of backfilling, the Contractor shall grade all areas on the site to be grassed, as indicated on drawings, or disturbed by the construction operations and acceptable to the City.

**GRASSING**

1. The Contractor shall sod areas disturbed by construction activities with Bahia sod.
2. Existing sod shall be removed by Contractor and areas graded as required to have sod meet new and existing elevations.
3. It is the intent of this specification that the Contractor shall produce a satisfactory stand of grass, free of weeds and foreign growth, before final payment. If it is necessary to repeat any or all of the work, including plowing, fertilizing, watering, and sodding, the Contractor shall nevertheless repeat these operations without additional compensation until a satisfactory stand is obtained.
4. The Contractor shall be responsible to see that planted areas receive enough water until full coverage is obtained.
5. All planting, fertilizing and preparations for providing a healthy stand of grass shall be done in accordance with Section 570 of FDOT Standard Specifications for Road and Bridge Construction, latest edition.

**PROJECT SIGNAGE**

1. Provide one (1) project sign as per detail in **Exhibit C – Project Sign**, secure in locations determined by project manager for duration of the project.
2. Prior to the start of construction, the Contractor shall provide one (1) four (4') feet high by four (4') feet wide project sign.
3. The location shall be approved by the City's Inspector in the field. Signage information shall include City/Contractor/architect information (See exhibit for project sign drawings), sign information and colors shall match the detail.
4. Contractor shall verify names of Council members and Mayor before lettering sign.

**SIGN MATERIALS**

1. Main signage boards: 3/4" marine plywood mounted on a 2" x 4" wood frame, painted on all sides.
2. Lettering: Shall be black intermediate grade vinyl or an approved equal.
3. Border Lines: Shall be black a minimum of 1/2" wide, inset 1" from the board edge.



4. Top & Bottom Warning Panels: Shall be 6" retro-reflective "orange" pavement marking tape (Reference MUTCD Section 1A.12 "color code")

**SUBSTANTIAL COMPLETION**

1. When the Contractor considers the work as substantially complete, the Contractor shall submit to the City:
  - A. A written notice that the work or designated portion thereof, is substantially complete.
  - B. A list of items to be completed or corrected.
2. Within a reasonable time after receipt of such notice, the City will inspect to determine the status of completion.
3. Should the City determine that the work is not substantially complete:
  - A. The City will promptly notify the Contractor in writing, giving the reasons therefore.
  - B. The Contractor shall remedy the deficiencies in the work and send a second written notice of substantial completion to the City.
  - C. The City will re-inspect the work.
4. When the City finds that the work is substantially complete, the City shall prepare a Certificate of Substantial Completion with a list of items to be completed or corrected before final payment. (Punch List)

**WARRANTY**

1. Contractor will provide a three (3) year material and labor warranty from the date of substantial completion against operational failure caused by defective material or workmanship which occurs during normal use.
2. Contractor shall be responsible for all product warranties. Contractor must provide written manufacturers' warranties to the City Project Manager, and Recreation & Parks Department before final payment will be authorized.
3. All manufacturer warranty documentation and owner/operator manuals must be provided before final payment request.

**FINAL INSPECTION**

1. When the Contractor considers the work complete, the Contractor shall submit written certification that:
  - A. Contract documents have been reviewed.
  - B. Work has been inspected for compliance with contract documents.
  - C. Work has been completed in accordance with contract documents.
  - D. Equipment and systems have been tested in the presence of the city representative and are operational.

2. The city will inspect to verify the status of completion with reasonable promptness after receipt of such certification.
3. Should the city consider that the work is incomplete or defective:
  - A. The city will promptly notify the Contractor in writing, listing the incomplete or defective work.
  - B. The Contractor shall take immediate steps to remedy the stated deficiencies and send a second written certification to the city that the work is complete.
  - C. The city will re-inspect the work.
4. When the city finds that the work is acceptable under the contract documents, the city shall request the Contractor make closeout submittals. (as built plans).

**CONTRACTOR'S CLOSEOUT SUBMITTALS TO THE CITY**

1. Evidence of compliance with requirements of governing authorities.
2. Consent of surety to final payment.
3. Approved project record documents and a hard copy "as built."
4. Completion of all submittals as required by Contract documents.
5. Warranties and operational manuals (2 copies).

**FINAL APPLICATION FOR PAYMENT**

1. The Contractor shall submit the final application for payment in accordance with the procedures and requirements stated in the scope of work and general conditions.

**SUB-CONTRACTORS**

1. Contractor must perform a minimum of 30% of the work with their own forces.

**The Plan Set for Ocala Skate Park Restroom, dated June 30, 2021  
may be obtained from the City Project Manager, Brian Hutchinson  
1805 NE 30<sup>th</sup> Avenue, Bldg. 700, Ocala, Florida 34470  
(352) 401-6935, e-mail: [whutchinson@ocalafl.org](mailto:whutchinson@ocalafl.org)**



November 9, 2018  
Project No. 18-1836.55.1

Paul Stentiford  
Stentiford Construction Services  
235 NE 11<sup>th</sup> Avenue  
Ocala, Florida 34470

Reference: Proposed Ocala Skatepark, 517 NE 9<sup>th</sup> Street, Ocala, Florida  
**Geotechnical Site Exploration**

Dear Mr. Stentiford:

As requested, Geo-Technologies, Inc. (Geo-Tech) has performed a site exploration at the project site. Services were conducted in accordance with our correspondence.

The following report summarizes our findings, evaluations and recommendations. Generally accepted soils and foundation engineering practices were employed in the preparation of this report.

Proposed finish floor elevations and loading conditions had not been established at the time of this report. The design of building foundation systems for this project was not included in Geo-Tech's scope of services.

Geo-Tech appreciates the opportunity to provide our services for this project. Should you have any questions regarding the contents of this report or if we may be of further assistance, please do not hesitate to contact the undersigned.

Sincerely,

Matthew W. Holland  
Geotechnical Project Manager

MWH/DAC/jk



Proposed Ocala Skatepark, 517 NE 9<sup>th</sup> Street  
Ocala, Florida

November 9, 2018  
Project No. 18-1836.55.1

### **Purposes**

Purposes of this study were to explore the subsurface conditions in the proposed drainage retention and building areas and provide geotechnical engineering site preparation recommendations to guide design and construction of the drainage retention area and building foundations systems.

### **Site Description**

The site is located at 517 NE 9<sup>th</sup> Street in Ocala, Florida. The site was covered with native trees and grasses at the time of drilling.

### **Exploration Program**

Field exploration services for the geotechnical exploration consisted of the following:

#### **Drainage Retention Area**

- Two (2) direct push borings P-1 and P-2 to depths of approximately fifteen (15) feet below existing site grade in the proposed drainage retention area (ASTM D-6282). Direct Push borings were performed on October 25, 2018.
- Two (2) field horizontal and two (2) field vertical permeability tests in the proposed drainage retention area. Permeability testing was performed on October 25, 2018.

#### **Building Areas**

- Three (3) auger borings A-1 through A-3 to depths of approximately ten (10) feet below existing site grade in the proposed building areas (ASTM D-4700). Auger borings were performed on October 25, 2018.

### **Sampling & Testing Descriptions**

#### **Auger Sampling**

Auger borings were performed using the methodology outlined in ASTM D-4700. Auger boring sampling method consists of rotating an auger to advance the barrel into the ground. The operator may have to apply downward pressure to keep the auger advancing. When the barrel is filled, the unit is withdrawn from the cavity and a sample may be collected from the barrel.

Samples recovered during performance of our auger borings were visually classified in the field and representative portions of the samples were placed in containers and transported to our laboratory for further analysis.

#### **Direct Push Sampling**

Direct Push (DP) soil sampling method (ASTM D-6282) consists of advancing a sampling device into subsurface soils by applying static pressure, by applying impacts, or by applying vibration, or any combination thereof, to the above ground portion of the sampler extensions until sampler has been advanced to the desired sampling depth. The sampler is recovered from

Proposed Ocala Skatepark, 517 NE 9<sup>th</sup> Street  
Ocala, Florida

November 9, 2018  
Project No. 18-1836.55.1

the borehole and the sample removed from the sampler. The sampler is cleaned and the procedure repeated for the next desired sampling interval.

Sampling can be continuous for full depth borehole logging or incremental for specific interval sampling. Samplers used can be protected type for controlled specimen gathering or unprotected for general soil specimen collection. Direct push methods of soil sampling are used for geologic investigation, soil chemical composition studies, and water quality investigations. Continuous sampling is used to provide a lithological detail of the subsurface strata and to gather samples for classification and index.

Samples recovered during performance of our direct push borings were visually classified in the field and were transported to our laboratory for further analysis.

### **Findings**

#### **Drainage Retention Area**

General subsurface conditions found in our soil borings P-1 and P-2 are graphically presented on the soil profiles in Appendix I. Horizontal lines designating the interface between differing materials found represent approximate boundaries. Transition between soil layers is typically gradual.

Soils found in our soil borings generally consisted of a surficial layer of fine sand ranging from approximately five and one-half (5 ½) to seven and one-half (7 ½) feet thick. Fine sand soils were underlain by clayey sand and slightly sandy clay to the depths drilled.

Ground water table levels were not found at our boring locations at the time of drilling.

#### **Seasonal High Water Table Levels**

Estimated seasonal high water table levels were found at depths ranging from approximately six (6) to eight and one-half (8 ½) feet below existing site grade. Estimated seasonal high water table levels are indicated on the soil profiles at the appropriate depths.

#### **Confining Layers**

Confining layers were not found within the fifteen (15) feet drill depths.

#### **Permeability**

Two (2) field horizontal and two (2) field vertical permeability tests were performed adjacent to our boring locations at depths ranging from approximately three (3) feet below existing site grade.

Resulting coefficients of horizontal and vertical permeability are noted on the soil profiles and in Table 1 below.

Proposed Ocala Skatepark, 517 NE 9<sup>th</sup> Street  
Ocala, Florida

November 9, 2018  
Project No. 18-1836.55.1

**Table 1 Results of Permeability Testing**

Boring No.	Depth of Test (feet)	KH Rate (feet/day)	Kv Rate (feet/day)
P-1	3.0	34.7	26.1
P-2	3.0	32.0	23.2

Geo-Tech utilizes the U.S. Department of the Navy, Naval Facilities Engineering Command (1974) Standard methods for performing variable head tests to determine and calculate hydraulic conductivities.

Measured permeability rates should not be used for design purposes without an appropriate safety factor. Actual pond exfiltration rates will depend on many factors such as ground water mounding, pond bottom siltation, construction technique, and the amount of soil compaction during construction.

#### **Building Areas**

General subsurface conditions found in our soil borings A-1 through A-3 are graphically presented on the soil profiles in Appendix I. Horizontal lines designating the interface between differing materials found represent approximate boundaries. Transition between soil layers is typically gradual.

Soils found at our boring locations generally consisted of a surficial layer of fine sand ranging from approximately six (6) to seven and one-half (7 ½) feet thick. Fine sand soils were underlain by clayey sand to the depths drilled.

Ground water table levels were not found at our boring locations at the time of drilling. In Geo-Tech's opinion, ground water levels are not expected to influence near surface construction. After periods of prolonged rainfall water may become perched above the clayey soils and deeper foundation systems may encounter a perched water condition.

#### **Evaluations**

Based on the soil borings performed, the shallow fine sand soils appear to be suitable for conventional foundation systems. In Geo-Tech's opinion, the clayey sand soils are at depths that should not affect the near surface construction.

#### **Recommendations**

##### **Stripping and Grubbing**

The "footprint" of the proposed building, plus an additional horizontal margin of ten (10) feet, should be stripped of the existing vegetation, stumps, surface debris, or other deleterious materials as found. Expect clearing and grubbing to depths of about eight (8) to twelve (12) inches. Deeper clearing and grubbing depths may be encountered in heavily vegetated areas where major root systems are found. Actual depth(s) of stripping and grubbing must be determined by visual observation and judgment during the earthwork operation.



Proposed Ocala Skatepark, 517 NE 9<sup>th</sup> Street  
Ocala, Florida

November 9, 2018  
Project No. 18-1836.55.1

### **Proof-Rolling**

If utilizing Option 2 in the Recommendations section of this report, proof-rolling of the cleared surface is recommended to: 1) locate any soft areas or unsuitable surface or near surface soils; 2) increase the density of the near surface soils; and 3) prepare the existing surface for the addition of fill soils (if required). Proof-rolling of the building areas should consist of at least ten (10) passes of a self-propelled static compactor. Each pass of the compactor should overlap the preceding pass by thirty (30) percent to insure complete coverage. If deemed necessary, in areas continuing to "yield," remove all deleterious material and replace with a clean, compacted sand backfill. Proof-rolling should occur after cutting and before filling. Vibratory compaction equipment should not be used within one hundred (100) feet of neighboring structures.

### **Structural Fill Material**

Structural fill material should be free of organic material such as roots and/or vegetation. Geo-Tech recommends using sand fill with between three (3) to twelve (12) percent by dry weight of material passing the U.S. Standard No. 200 sieve size. All structural fill should be pre-qualified prior to importing and placing.

Upper fine sands found on site should meet these requirements and can be used if kept separate from the clayey soils during the earthwork phase of construction. Clayey soils are typically not used for structural fill due to inherent nature to retain moisture and the natural weight of the material makes compaction requirements difficult to achieve. However, the clayey soils can be utilized for other non-structural grading as desired.

### **Compaction of Fill Soils**

Structural fill should be placed in level lifts not thicker than twelve (12) inches (uncompacted). Each lift in the proposed building areas should be compacted to at least ninety-eight (98) percent of the maximum density as determined by the Modified Proctor Test Method (ASTM D-1557) maximum dry density value. If hand-held compaction equipment is used, reduce the uncompacted lift thickness to six (6) inches. Filling and compaction operation should continue in lifts until the desired elevation is attained.

### **Foundation Support**

Foundations for the proposed structure may consist of shallow foundations placed on compacted engineered fill material. Such footings may be designed for maximum allowable soils contact pressures of two thousand five hundred (2,500) pounds per square foot. For purposes of confinement, exterior footings should be embedded at least twenty-four (24) inches below the lowest adjacent grade as measured to the base of the footing. Interior footings should be embedded a minimum of eighteen (18) inches below the lowest adjacent grade as measured to the base of the footing.

Moisture entry from the underlying subgrade soils should be minimized. An impervious membrane placed between the subgrade soils and floor slab will help to accomplish this. A polyethylene film (six [6] mil) is commonly used for this purpose. Care should be used so that the membrane is not punctured when placing reinforcing steel (or mesh) and concrete.

Proposed Ocala Skatepark, 517 NE 9<sup>th</sup> Street  
Ocala, Florida

November 9, 2018  
Project No. 18-1836.55.1

### **Quality Control**

Geo-Tech recommends establishing a comprehensive quality control program to ensure that site preparation and foundation construction is conducted according to the plans and specifications. Materials testing and inspection services should be provided by Geo-Technologies, Inc. An engineering technician should be on-site to monitor all stripping and grubbing, to verify that all deleterious materials have been removed.

Density testing should be performed during backfill and below all footings and floor slabs to check the required compaction. Field density values should be compared to laboratory proctor moisture-density results for each different natural and fill soil encountered.

Geotechnical engineering design does not end with the advertisement of construction documents. The design is an on going process throughout construction. Because of Geo-Tech's familiarity with the site conditions and the intent of the engineering design, we are most qualified to address problems that might arise during construction in a timely and cost effective manner.

### **Closure/General Qualifications**

This report has been prepared in order to aid evaluation of the project site and to assist various design professionals in the design of the drainage retention areas and building foundation systems. The scope is limited to the specific project and the location described herein, and our description of the project represents our understanding of the significant aspects relevant to soil and foundation characteristics. In the event that any changes in present project concepts as outlined in this report are planned, we should be informed so the changes can be reviewed and the conclusions of this report modified as necessary in writing by the soils and foundation engineer.

It is recommended that all construction operations dealing with earthwork and foundations be reviewed by our soil engineer to provide information on which to base a decision whether the design requirements are fulfilled in the actual construction. Evaluations and recommendations submitted in this report are based upon the data obtained from the soil borings performed at the locations indicated on the Boring Location Map, and from any other information discussed in this report. This report does not reflect any variations, which may occur between these borings. In the performance of subsurface investigations, specific information is obtained at specific locations at specific times. Variations in soil and rock conditions exist on most sites between boring locations. Groundwater levels may also vary from time to time. The nature and extent of variations may not become evident until the course of construction. If variations then appear evident, it will be necessary for a re-evaluation of the recommendations of this report after performing on-site observations during the construction period and noting the characteristics of any variations.




**APPENDIX I**  
**SOIL PROFILES**

**GEO-TECH**

Log of Borehole: F-1

Project: PROPOSED OCALA SKATEPARK, NE SANCHEZ AVE, OCALA Project No: 18-1836.55.1  
 Boring Location: (SEE SITE PLAN) Engineer: NJH/DAC  
 Client: STENTIFORD CONSTRUCTION Enclosure: SITE PLAN

**GEO-TECH.**  
 ENGINEERING CONSULTANTS  
 1018 SE 3rd Avenue  
 Ocala, Florida  
 352.694.7711  
 WWW.GEOTECHFL.COM




Depth (ft)	Symbol	Description	Depth/Elev.	Number	Remarks
0		Ground Surface	0.0		
0 to 6		<b>FINE SAND</b> BROWN FINE SAND (SP)		1	FIELD HORIZONTAL PERMEABILITY AT APPROX. 3.0 FEET = 34.7 FEET/DAY FIELD VERTICAL PERMEABILITY AT APPROX. 3.0 FEET = 26.1 FEET/DAY
6 to 12.5		<b>CLAYEY SAND</b> BROWN AND GREY CLAYEY SAND (SC)	6.0	2	ESHWTL AT APPROX. 6.0 FEET
12.5 to 15.0		<b>SLIGHTLY SANDY CLAY</b> GREY AND YELLOWISH BROWN SLIGHTLY SANDY CLAY (CH)	12.5	3	CONFINING LAYER AT APPROX. 12.5 FEET
15.0		End of Borehole	15.0		

Ground Water Depth: NOT FOUND  
 Drill Date: OCTOBER 25, 2018  
 Remarks: (SP) UNIFIED SOIL CLASSIFICATION SYMBOL AS DETERMINED BY VISUAL REVIEW  
 Drilled By: RS/GG/RD/HD  
 Drill Method: ASTM D-6282  
 Soil Profile : 1 OF 5

Log of Borehole: P-2

Project: PROPOSED OCALA SKATEPARK, NE SANCHEZ AVE, OCALA Project No: 18-1836.55.1  
 Boring Location: (SEE SITE PLAN) Engineer: NJH/DAC  
 Client: STENTIFORD CONSTRUCTION Enclosure: SITE PLAN

**GEO-TECH**  
 ENGINEERING CONSULTANTS  
 1016 SE 3rd Avenue  
 Ocala, Florida  
 352.894.7711  
 WWW.GEOTECHFL.COM

Depth (ft)	Symbol	Description	Depth/Elev.	Number	Remarks
0		Ground Surface	0.0		
0 to 5.5		<b>FINE SAND</b> BROWN FINE SAND (SP)	5.5	1	FIELD HORIZONTAL PERMEABILITY AT APPROX. 3.0 FEET = 32.0 FEET/DAY FIELD VERTICAL PERMEABILITY AT APPROX. 3.0 FEET = 23.2 FEET/DAY
5.5 to 8.5		<b>CLAYEY SAND</b> BROWN CLAYEY SAND (SC)	8.5	2	ESHWTL AT APPROX. 8.5 FEET
8.5 to 15.0		<b>CLAYEY SAND</b> BROWN AND GREY CLAYEY SAND (SC)	15.0	3	CONFINING LAYER GREATER THAN DEPTH DRILLED
15.0 to 17		End of Borehole			

Ground Water Depth: NOT FOUND  
 Drill Date: OCTOBER 25, 2018

Drilled By: RS/GG/RD/HD  
 Drill Method: ASTM D-6282



Remarks: (SP) UNIFIED SOIL CLASSIFICATION SYMBOL AS DETERMINED BY VISUAL REVIEW

Soil Profile : 2 OF 5

Log of Borehole: A-1

Project: PROPOSED OCALA SKATEPARK, NE SANCHEZ AVE, OCALA Project No: 18-1836.55.1  
 Boring Location: (SEE SITE PLAN) Engineer: NJH/DAC  
 Client: STENTIFORD CONSTRUCTION Enclosure: SITE PLAN

**GEO-TECH**  
 ENGINEERING CONSULTANTS  
 1016 SE 3rd Avenue  
 Ocala, Florida  
 352.694.7711  
 WWW.GEOTECHFL.COM

Depth (ft)	Symbol	Description	Depth/Elev.	Number	Remarks
0		Ground Surface	0.0		
0 to 7.5		<b>FINE SAND</b> BROWN FINE SAND (SP)		1	
7.5 to 10.0		<b>CLAYEY SAND</b> BROWN AND GREY CLAYEY SAND (SC)		2	
10.0 to 17		End of Borehole			

Ground Water Depth: NOT FOUND  
 Drill Date: OCTOBER 25, 2018

Drilled By: RS/GG/RD/HD  
 Drill Method: ASTM D-6282



Remarks: (SP) UNIFIED SOIL CLASSIFICATION SYMBOL AS DETERMINED BY VISUAL REVIEW

Soil Profile : 3 OF 5

Log of Borehole: A-2

Project: PROPOSED OCALA SKATEPARK, NE SANCHEZ AVE, OCALA Project No: 18-1836.55.1  
 Boring Location: (SEE SITE PLAN) Engineer: NJH/DAC  
 Client: STENTIFORD CONSTRUCTION Enclosure: SITE PLAN

**GEO-TECH**  
 ENGINEERING CONSULTANTS  
 1018 SE 3rd Avenue  
 Ocala, Florida  
 352.694.7711  
 WWW.GEOTECHFL.COM

Depth (ft)	Symbol	Description	Depth/Elev.	Number	Remarks
0		Ground Surface	0.0		
0 to 6		<b>FINE SAND</b> BROWN FINE SAND (SP)	6.0	1	
6 to 10		<b>CLAYEY SAND</b> BROWN AND GREY CLAYEY SAND (SC)	10.0	2	
10 to 17		End of Borehole			

Ground Water Depth: NOT FOUND  
 Drill Date: OCTOBER 25, 2018

Drilled By: RS/GG/RD/HD  
 Drill Method: ASTM D-6282

Remarks: (SP) UNIFIED SOIL CLASSIFICATION SYMBOL AS DETERMINED BY VISUAL REVIEW



Soil Profile : 4 OF 5



Log of Borehole: A-3

Project: PROPOSED OCALA SKATEPARK, NE SANCHEZ AVE, OCALA Project No: 18-1836.55.1  
 Boring Location: (SEE SITE PLAN) Engineer: NJH/DAC  
 Client: STENTIFORD CONSTRUCTION Enclosure: SITE PLAN

**GEO-TECH**  
 ENGINEERING CONSULTANTS  
 1016 SE 3rd Avenue  
 Ocala, Florida  
 352.694.7711  
 WWW.GEOTECHFL.COM

Depth (ft)	Symbol	Description	Depth/Elev.	Number	Remarks
0		Ground Surface	0.0		
0 to 6		<b>FINE SAND</b> BROWN FINE SAND (SP)	6.0	1	
6 to 10		<b>CLAYEY SAND</b> BROWN AND GREY CLAYEY SAND (SC)	10.0	2	
10 to 17		End of Borehole			

Ground Water Depth: NOT FOUND  
 Drill Date: OCTOBER 25, 2018


Drilled By: RS/GG/RD/HD  
 Drill Method: ASTM D-6282

Remarks: (SP) UNIFIED SOIL CLASSIFICATION SYMBOL AS DETERMINED BY VISUAL REVIEW

Soil Profile : 5 OF 5

**APPENDIX II**  
**BORING LOCATION MAP**

**GEO-TECH**



PROJECT NO.  
18-1836.55.1

SCALE: N.T.S.

DATE: 10-25-18

FIGURE: 1

STENTIFORD CONSTRUCTION  
 PROPOSED OCALA SKATEPARK  
 NE SANCHEZ AVENUE  
 OCALA, FLORIDA

BORING LOCATION MAP

**GEO-TECH**

■ GEOTECHNICAL   ■ ENVIRONMENTAL  
 ■ CONSTRUCTION MATERIALS TESTING   ■ GEOPHYSICAL EXPLORATION

1015 SE 3rd AVENUE, OCALA, FLORIDA 34471 - (352) 684-7711



**YOUR TAXES AT WORK....**

**City of Ocala Skate Park Restrooms**

PROJECT ITB # CIP/210613

CITY OF OCALA, FLORIDA

**CITY COUNCIL:**

**BRENT MALEVER**  
(Council President PRO-TEM)  
DISTRICT 1

**IRE BETHEA, SR**  
DISTRICT 2

**JAY MUSLEH**  
DISTRICT 3

**MATTHEW WARDELL**  
DISTRICT 4

**JUSTIN GRABELLE**  
(COUNCIL PRESIDENT)  
DISTRICT 5

**KENT GUINN**  
MAYOR

**CITY OF OCALA**

**CAPITAL IMPROVEMENT  
PROJECTS DIVISION**

**CONTRACTOR**  
(enter contractor)


**PROJECT COST**  
(enter amount)

**START DATE**  
(month day, year)

**COMPLETION DATE**  
(month day, year)

**FOR PROJECT INFORMATION CONTACT:  
CAPITAL IMPROVEMENT PROJECTS DIVISION**

**352-629-8419**



<b>TITLE</b>	For Signature: Construction of Ocala Skate Park Restrooms...
<b>FILE NAME</b>	For Signature - C...- Skate Park .pdf
<b>DOCUMENT ID</b>	e114804084dd36efd53055087825338081ab511b
<b>AUDIT TRAIL DATE FORMAT</b>	MM / DD / YYYY
<b>STATUS</b>	● Completed

## Document History



SENT

**10 / 13 / 2021**

11:05:31 UTC-4

Sent for signature to Blackwater Construction Services, LLC (derek@blackwatercsllc.com), Robert W. Batsel, Jr. (rbatsel@ocalalaw.com), Justin Grabelle (jgrabelle@ocalafl.org) and Angel B. Jacobs (ajacobs@ocalafl.org) from plewis@ocalafl.org  
IP: 216.255.240.104



VIEWED

**10 / 15 / 2021**

13:11:20 UTC-4

Viewed by Blackwater Construction Services, LLC (derek@blackwatercsllc.com)  
IP: 24.250.225.143



SIGNED

**10 / 15 / 2021**

13:11:56 UTC-4

Signed by Blackwater Construction Services, LLC (derek@blackwatercsllc.com)  
IP: 24.250.225.143



VIEWED

**10 / 18 / 2021**

22:17:03 UTC-4

Viewed by Robert W. Batsel, Jr. (rbatsel@ocalalaw.com)  
IP: 216.255.247.51

<b>TITLE</b>	For Signature: Construction of Ocala Skate Park Restrooms...
<b>FILE NAME</b>	For Signature - C...- Skate Park .pdf
<b>DOCUMENT ID</b>	e114804084dd36efd53055087825338081ab511b
<b>AUDIT TRAIL DATE FORMAT</b>	MM / DD / YYYY
<b>STATUS</b>	● Completed

## Document History



**10 / 18 / 2021**  
22:19:52 UTC-4

Signed by Robert W. Batsel, Jr. (rbatsel@ocalalaw.com)  
IP: 216.255.247.51



**10 / 19 / 2021**  
16:39:48 UTC-4

Viewed by Justin Grabelle (jgrabelle@ocalafl.org)  
IP: 107.77.216.117



**10 / 19 / 2021**  
16:40:12 UTC-4

Signed by Justin Grabelle (jgrabelle@ocalafl.org)  
IP: 107.77.216.117



**10 / 20 / 2021**  
09:05:16 UTC-4

Viewed by Angel B. Jacobs (ajacobs@ocalafl.org)  
IP: 216.255.240.104



**10 / 20 / 2021**  
09:05:30 UTC-4

Signed by Angel B. Jacobs (ajacobs@ocalafl.org)  
IP: 216.255.240.104



**10 / 20 / 2021**  
09:05:30 UTC-4

The document has been completed.